

CLP-SOMBRERO

LED Area Fixture

DESIGN - QUALITY



Crystal 
Lighting

CLP -SOMBRERO

Architectural LED Lighting



CLP-Sombrero architectural LED Lighting, suitable for wet locations. Perfect for lighting up residential exteriors, walkways, perimeters, school campuses, Industrial/commercial spaces, parking lots, recreational parks.

-Dark Sky Compliant
-10 year/100,000 hour limited warranty.

FEATURES

- Energy Savings: Over 66% compared to HID light sources
- Improved lumen maintenance
- Utilizes high efficient Lumiled LED's
- Operating temperatures: -30°C ~ 60°C
- Driver: Constant current, 120-277v, 50/60Hz, 480v (Optional)
- 10Kv surge protector (Standard).
- 0-10v Dimming, occupancy sensors, photo cell and wireless controls capable (optional)
- Operating Life: >60,000 hours

CONSTRUCTION

- Housing and Shade is Heavy-Duty Spun Aluminum
- 5 mil Powder Coating finish (standard) various colors available (custom).
- Clear prismatic acrylic Type 5 (standard), clear prismatic polycarbonate lens (optional)
- Silicone gasket to prevent leakage and provide weather-tight protection.
- Mounting: Over 3" O.D Tenon or Pole (standard). Adapter is required for other mounting sizes.




Example: (CLP-SOMBRERO-RN-20CLED-30K-MV-BLK-T5)




Cat#	Wattage	Color Temp	Voltage	Color	Options
CLP-SOMBRERO-RN	20W (20CLED)	3000K (30K)	120-277V (MV)	BRONZE (BRZ)	MOTION SENSOR (OCC)
CLP-SOMBRERO-SQ	40W (40CLED)	4000K (40K)	480V (HV)	GRAY (GRY)	BUTTON PHOTO CELL (PC)
	50W (50CLED)	5000K (50K)		BLACK (BLK)	WIRELESS CONTROL (WC)
	60W (60CLED)			WHITE (WH)	TYPE 3 LENS (T3)
	70W (70CLED)			CUSTOM (CST)	TYPE 5 LENS (T5)
					POLYCARBONATE LENS (PLY)
					TWIST LOCK PHOTOCCELL (PLPC)


All products are proudly manufactured and/or assembled in the USA



CLP-SOMBRERO-RN



CLP-SOMBRERO-SQ



CAT #	A	B	EPA
CLP-SOMBRERO-RND	24" 3/8	28"	1.75
CLP-SOMBRERO-SQ.	22" 1/8	28"	1.47

Cat#	Input Power	Lumen Output	Color Temp (CCT)	CRI	Rated Life (L70)	Input Voltage	Input Frequency	HID Equivalent
CLP-SOMBRERO-20CLED	25W	3,650	5000K	70+	>200,000	120-277V	50/60HZ	50w MH
CLP-SOMBRERO-40CLED	45W	6,492	5000K	70+	>200,000	120-277V	50/60HZ	150w HPS
CLP-SOMBRERO-50CLED	55W	7,780	5000K	70+	>200,000	120-277V	50/60HZ	150w MH
CLP-SOMBRERO-60CLED	65W	8,539	5000K	70+	>200,000	120-277V	50/60HZ	175w PSMH
CLP-SOMBRERO-70CLED	75W	9,986	5000K	70+	>200,000	120-277V	50/60HZ	250w MH

All products are proudly manufactured and/or assembled in the USA