



Sportlume Series Floodlight High Output Large



Description

The LITELUME™ Sportlume Series Floodlight High Output Large (LL-FHOL) features a rigid die-cast aluminum body, with a premium heat sink ventilation design that maximizes natural air movement to convect heat away from the LED boards. Featuring multiple beam angles to meet various design requirements, the FHO can bring the dynamics of a sports game to life or simply the best security to any application.

Fixture Information

Size:	610W
Housing:	Aluminum
Finish:	Protective powdercoat
Color:	Standard: Bronze (BZ) Black (BK) White (WH) Gray (GY) Custom Options Available
Mounting:	Standard: Large Yoke Mount Optional: Tenon Mount
Lens:	Polycarbonate
Surge Protector:	Standard: 20 kVA
Voltage:	Standard: Meanwell 120-277v HLG driver Optional: Meanwell 200-480v HVG driver
Sensor:	Standard: No sensor
Warranty:	10-Year Limited Warranty

Performance Data

Lumen Output:

88,450 to 94,550 lm

Lumens Per Watt (typical):

145 to 155 lm/W

CCT:

4000K
5000K
5700K

Beam Angle:

Type V

Lifespan:

Features Philips Lumileds 5050 with up to 100,000 running hours

Ratings & Certificates

UL Wet Location Listed
IP67 rated







Dimensions

Item	Width	Length	Height
Heavy Duty Yoke Mount	5.82"	30.31"	19.92"
Tenon Mount	5.82"	30.31"	24.65"

Heavy Duty Yoke Mount



Tenon Mount




Accessories

Tenon Mount



Color Options*




* Please contact LITELUME for all Available Colors




Photometric Data

30° Beam



60° Beam



90° Beam

