

LED Tunable Troffer Light

- * **U-22TRF - 20W/25W/30W**
- * **U-24TRF - 34W/38W/45W**



Description

LED Troffers are a reliable indoor lighting solution for office, educational, retail, and hospital spaces. They feature tunable, glare-free lighting that promotes productivity and focus for any work space. Available in a wide range of wattages, the LED Troffer is a versatile solution for your indoor lighting needs.



Applications

- Offices Spaces
- Retail Stores
- Hallways
- Educational Spaces
- Multipurpose spaces
- Warehouses

Product Details

- Uniform and glare-free lighting
- High efficiency LED Driver
- High Quality sheet iron design for better cooling
- Tunable, with adjustable wattage and color temperature
- Continuous 0-10V Dimming capabilities

Spec Summary

Wattage	20W/25W/30W 34W/38W/45W
Input Voltage	AC 120 - 277V
CCT	3500K/ 4000K/ 5000K
Light Source	SEOUL
Driver	Simon Power

DLC Listing: 22TRF202530W27 | 24TRF343845W27

Size	Product	Power	Color Temp
22 (2X2feet) 24 (2X4feet)	TRF Led Troffer Light	20W (20W) 25W (25W) 30W (30W) 34W (34W) 38W (38W) 45W (45W)	35K (3500K) 4K (4000K) 5K (5000K)

TECHNICAL PARAMETERS:

Type	DLC Listing: 22TRF202530W27 24TRF343845W27		
Power	20W/25W/30W/34W/38W/45W	Lighting Angle	119°
Input Voltage	AC120-277V	LED Brightness Decay	<5%/6000 hrs
PF	>0.98	Working Life	>75000 hrs
Driver Efficiency	>90%	Working Temperature	-20 - +50°C
Luminous Flux	2500Lm/3125Lm/3750Lm 4250 Lm/4758Lm/5715 Lm	Storage Temperature	-20 - +50°C
Color Temperature	3500K/4000K/5000K	Protection Level	Damp
CRI	Ra>80	Cable	Input Connect, No Cable

LED Tunable Troffer Light



LED Tunable Troffer Light

- * **U-22TRF - 20W/25W/30W**
- * **U-24TRF - 34W/38W/45W**

Specifications



Troffer-22/24
 Length: 604MM/1213MM(23.8"/47.8")
 Width: 604MM(23.8")
 Depth: 70MM(2.8")
 Weight: 7.71/12.76(lbs)

Mounting




- ❖ Embedded installation.

Packaging information

- ❖ **22TRF202530W27-3545K:** 617MMX610MMX123MM(2 Pcs/CTN)
(24.29" X24.02" X4.84")
- ❖ **24TRF343845W27-3545K:** 1227MMX610MMX123MM(2 Pcs/CTN)
(48.31" X24.02" X4.84")



PHOTOMETRY:



LED Tunable Troffer Light




LED Tunable Troffer Light

- * U-22TRF - 20W/25W/30W
- * U-24TRF - 34W/38W/45W

Adjust the switch

The Tunable LED Tunable Troffer Light's wattage and color temperature can be adjusted according to your needs. To adjust your fixture, simply shift the dial code to your preferred settings.

Wattage/CCT Adjustment Example



LED Tunable Troffer Light